Dart Aerospace Ltd. Tuesday, 6/26/2007 3:31:25 PM Date: User Kim Johnston **Process Sheet** : PLUG : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 33185 : 10512 **Estimate Number** : D26511 **Part Number** P.O. Number NA: : 6/26/2007 D2651 REV. B S.O. No. : NA **Drawing Number** This Issue : N/A : NC Project Number Prsht Rev. : NA : MACHINED PARTS ; B First Issue Type **Drawing Revision** NA: : 32576 Material Previous Run Each : 7/15/2007 200 Um: **Due Date** Qty: Written By Checked & Approved By NG Comment : Est: .04.15 New Issue Est: B 05.12.12 added deburr EC **Additional Product** Job Number: Description: Seq. #: M6061T6R0500 1.0 6061-T6 Round Bar .500' Comment: Qtv.: Total: 0.0421 f(s)/Unit 8.4210 f(s) Material: 6061-T6 (QQ-A-225/8), 0.500" Dia (M6061T6R0500) Batch: HARDINGE 2.0 Comment: HAAS CNC VERTICAL MACHINING #1 1- Turn as per Folio FA219 and Dwg D2651 2- Deburr 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE QC8 4.0 SECOND CHECK Comment: SECOND CHECK SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 5.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr ias per dwg D2651

Page 1

Form: rorocess

Dart Aerospace Ltd

Approval Chief Eng / Prod Mgr	Approval QC Inspector
) **E

Part No:	PAR #:	Fault Category:	NCR: Yes No DQ	A: Date: 07/08/07
			QA: N/C Close	d: Date:

NCR: WORK ORDER NON-CONFORMANCE (NCR)									
DATE	0750	Description of NC		Corrective Action	Section B		Verification	224.2	A
DATE	STEP	Section A	Initial Action Description Sign & Chief Eng Date		Section C	Approval Chief Eng	Approval QC Inspector		
					3/44)1				
	1								
							,		

NOTE: Date & initial all entries

Tuesday, 6/26/2007 3:31:25 PM Date: User: Kim Johnston **Process Sheet Drawing Name: PLUG** Customer: CU-DAR001 Dart Helicopters Services Job Number: 33185 Part Number: D26511 Job Number: Description: Seq. #: Machine Or Operation: HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COA 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 (Only larger section necessary) INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 QC3 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

W ANS. 27

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #: Fault Category: N	NCR: Yes	s No DQ	A:	Date:	
			QA:	N/C Close	d:	Date: _	

NCR:		W	ORK ORD	ER NON-CONFORMANO	E (NCR)			
		Description of NC		Corrective Action Section B	Verification	Anne	Ammusical	
DATE	STEP	Section A	Initial Action Description Sign & Chief Eng Chief Eng Date		Section C	Approval Chief Eng	Approval QC Inspector	
- (1						:		

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	33185
Description: Plug	Part Number:	D2651-1
Inspection Dwg: D2651 Rev: B		Page 1 of 1

	FIRS	T ARTICLE	INSPECTI	ON CHI	ECKLIST	
	>	First Art	icle	Prot	otype	
Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension	Tolerance	Dimension	Accept	Keject	Inspection	Comments
0.060	+/-0.005	.040				
0.375	+/-0.010	1775				
0.050 x 20°	+/-0.010	(of x 20				
Ø0.305	+0.000/-0.002	, 304				
Ø0.438	+/-0.005	. 437				
0.060	+/-0.005	, 059				
0.090	+0.000/-0.002	1049				
0.045	+0.000/-0.002	0445				
						*
,,,,,,						
	001	<u> </u>				
Measured by:	(J.S.F)	Audited by:	<u> 7.L</u>	F	Prototype Approv	al: N/A
Date:	61/168/15	Date:	07/08/	20	Da	te:

Meas	ured by:	20/s.F,	Audited by:	J.L	Prototype Approval:	N/A
	Date:	61/08/15	Date:	07/08/20	Date:	
Rev	Date	Change			Revised by	Approved
Α	03.12.22	New Issue			KJ/RF	- 4







DESIG	A	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	(ED)	APPROVE	DRAWING NO. REV. D2651 SHEET 1 OF
DATE	1		TITLE SCAL
03.1	2.19		PLUG 1
Α		97.03.25	NEW ISSUE
В		03.12.19	ADD POWDER COAT, MS28775-008

RELEASED

D2651-1 PLUG:



GROOVE DETAIL (SCALE 5:1)



D2651-1 PLUG

- 1) MATERIAL: 6061-T6 (QQ-A-225/8) OR 1100-0 (QQ-A-225/1)
- 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED SHOP COPY
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.010 MAX

D2651-3 O-RING

1) MATERIAL: BUNA N, 70 DUROMETER 3/16 ID, 5/16 OD, 1/16 WIDTH (PARKER 2-008, MS28775-008 OR EQUIVALENT)

RETURN TO ENGINEERING UNCONTROLLED COP SUBJECT TO AMENDMEN WITHOUT NOTICE

Copyright © 1997 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.